



VOC Chart
Lusid Products

Toners	% Solids By WT.	Spec. Gravity	LBS Per GL	% Total Exempts	Coating VOC g/l	Coating VOC lbs/gal	Material VOC g/l	Material VOC lbs/gal
SHS09	62.6	1.05	8.77	0	393.1	3.28	393.1	3.28
SHS10	75.4	1.56	13.01	0	383.2	3.2	383.2	3.2
SHS11	61.47	1.04	8.73	0	403.33	3.36	403.33	3.36
SHS12	77.8	1.64	13.67	0	363.69	3.03	363.69	3.03
SHS13	60.17	1.13	9.42	0	449.95	3.75	449.95	3.75
SHS14	58.61	1.15	9.6	0	475.6	3.96	475.6	3.96
SHS15	59.96	1.18	9.8	0	473.78	3.95	473.78	3.95
SHS16	64.1	1.23	10.27	0	442	3.68	442	3.68
SHS17	62.2	1.03	8.67	0	392.95	3.27	392.95	3.27
SHS18	64.75	1.09	9.14	0	386.25	3.22	386.25	3.22
SHS19	60.98	1.03	8.6	0	402.52	3.35	402.52	3.35
SHS20	73.22	1.4	11.65	0	373.92	3.12	373.92	3.12
SHS21	76.93	1.53	12.75	0	352.46	2.94	352.46	2.94
SHS22	68.88	1.08	9.06	0	338.04	2.82	338.04	2.82
SHS23	59.69	1.05	8.74	0	432.71	3.61	432.71	3.61
SHS24	68.5	1.32	11	0	415.44	3.46	415.44	3.46
SHS25	65.1	1.04	8.7	0	364.08	3.03	364.08	3.03
SHS26	62.22	1.05	8.76	0	396.69	3.31	396.69	3.31
SHS27	77.55	1.58	13.16	0	354.05	2.95	351.05	2.95
SHS28	60.36	1.08	9.01	0	428.3	3.57	428.3	3.57
SHS29	58.56	1.06	8.89	0	462.98	3.86	462.98	3.86
SHS30	59.91	1.1	9.15	0	439.85	3.67	439.85	3.67
SHS31	58.04	1.03	8.59	0	431.94	3.6	431.94	3.6
SHS32	62.98	1.05	8.74	0	387.95	3.23	387.95	3.23
SHS33	60.73	1.06	8.89	0	418.67	3.49	418.67	3.49
SHS34	65.46	1.05	8.76	0	362.91	3.02	362.91	3.02
SHS35	65.7	1.08	9.02	0	371.11	3.09	371.11	3.09
SHS36	59.18	1.03	8.63	0	422.79	3.52	422.79	3.52
SHS37	55.11	1.15	9.58	0	515.59	4.3	515.59	4.3
SHS38	57.2	1.13	9.46	0	485.18	4.04	485.18	4.04
SHS39	62.4	1.04	8.7	0	392.37	3.27	392.37	3.27
SHS42	55.7	1.11	9.29	0	493.51	4.11	493.51	4.11
SHS43	56.31	1.01	8.5	0	445.03	3.71	445.03	3.71
SHS44	64.51	1.05	8.78	0	373.3	3.11	373.3	3.11
SHS46	60.18	0.99	8.29	0	395.82	3.3	395.82	3.3
SHS47	61.74	1.17	9.83	0	450.75	3.76	450.75	3.76
SHS48	64.69	1.07	8.9	0	376.77	3.14	376.77	3.14
SHS50	64.88	1.06	8.87	0	375.63	3.13	375.63	3.13

LX1	72.03	1.56	13.07	0	438.15	3.65	438.15	3.65
LX2	48.26	1.02	8.52	0	528.4	4.4	528.4	4.4
LX3	56.49	1.17	9.78	0	510.15	4.25	510.15	4.25
LX4	53.85	1.04	8.73	0	483.01	4.03	483.01	4.03
LX5	59.84	1.23	10.31	0	496.22	4.14	496.22	4.14
LX6	49.07	1.03	8.66	0	528.67	4.41	528.67	4.41
LX7	50.65	1.03	8.61	0	509.2	4.24	509.2	4.24
LX8	52.15	1.03	8.67	0	497.49	4.15	497.49	4.15
LX9	53.06	1.05	8.82	0	496.49	4.14	496.49	4.14
LX10	56.96	1.07	8.93	0	460.95	3.84	460.95	3.84
LX11	55.52	1.03	8.67	0	462.23	3.85	462.23	3.85
LX12	54.93	1.13	9.43	0	509.42	4.25	509.42	4.25
Pearls	% Solids By WT.	Spec. Gravity	LBS Per GL	% Total Exempts	Coating VOC g/l	Coating VOC lbs/gal	Material VOC g/l	Material VOC lbs/gal
PRL01	100	3.09	25.84	100	0	0	0	0
PRL30	100	2.61	21.85	100	0	0	0	0
PRL05	100	3.29	27.52	100	0	0	0	0
PRL04	100	2.51	21.01	100	0	0	0	0
PRL09	100	3.29	27.52	100	0	0	0	0
PRL07	100	3.19	26.68	100	0	0	0	0
PRL06	100	3.29	27.52	100	0	0	0	0
PRL15	100	3.29	27.52	100	0	0	0	0
PRL14	100	3.29	27.52	100	0	0	0	0
PRL12	100	3.4	28.36	100	0	0	0	0
PRL18	100	3.29	27.52	100	0	0	0	0
PRL02	100	3.29	27.52	100	0	0	0	0
PRL26	100	3.19	26.68	100	0	0	0	0
Clears	% Solids By WT.	Spec. Gravity	LBS Per GL	% Total Exempts	Coating VOC g/l	Coating VOC lbs/gal	Material VOC g/l	Material VOC lbs/gal
AG800	32.81	0.97	8.11	18.35	588.86	4.91	474.84	3.96
GM350	54.37	0.99	8.25	0	451.32	3.76	451.32	3.76
SC280	38.12	1.07	8.93	45	333.38	2.78	180.73	1.5
BF210	47.03	1.06	8.88	30.7	335.21	2.79	236.98	1.97
BBF420	33.65	0.94	7.86	13.94	592.6	4.94	493.88	4.12
GTS44	32.1	0.96	8.05	5.4	645.71	5.38	602.98	5.03
GTS40	45.55	0.95	7.98	11.57	473.42	3.95	410.4	3.42
GT52	38.53	0.92	7.74	12.33	528.22	4.4	455.88	3.8
MS210	39.2	1.06	8.88	45.12	298.36	2.48	165.24	1.37
QC210	33.5	1.04	8.74	52.04	309.31	2.58	151.56	1.26
CC2.1	40.79	0.99	8.28	41.78	315.08	2.62	172.96	1.44
CC4.4	40.84	0.96	8.07	7.28	551.29	4.6	502.08	4.18
ECS10	41.96	0.94	7.92	8.54	523.91	4.37	470.08	3.92
KAC21	31.9	1.06	8.89	55.44	298.7	2.40	134.5	1.10
KAC55	31.9	1.06	8.89	55.44	298.7	2.49	134.2	1.12
GT211	49.8	1.05	8.82	30.21	297.1	2.48	211	1.76
PC210	33.5	1.04	8.75	52.15	306.2	2.55	149.6	1.25
Reducers	% Solids By WT.	Spec. Gravity	LBS Per GL	% Total Exempts	Coating VOC g/l	Coating VOC lbs/gal	Material VOC g/l	Material VOC lbs/gal
S9860	0	0.81	6.76	29	817.18	6.82	574.6	4.8
S9870	0	0.84	6.99	0	838.14	6.99	838.14	6.99

S9885	0	0.86	7.17	0	850	7.09	850	7.09
S9895	0	0.9	7.51	0	898.49	7.5	898.49	7.5
S065	0	0.79	6.57	100	0	0	0	0
S075	0	1.06	8.86	100	0	0	0	0
S085	0	1.34	11.15	100	0	0	0	0
S9898	0	1.09	9.07	0	1087.59	9.07	1087.59	9.07
S021 FAST	0	0.82	6.86	100	0	0	0	0
S021 MEDIUM	0	0.83	6.96	100	0	0	0	0
S021 SLOW	0	0.85	7.09	100	0	0	0	0
SB7175	0.6	0.84	7.02	0	837.02	6.98	837.02	6.98
SB075	0.48	1.04	8.69	91.88	826.53	6.89	79.75	0.66
MPS20	0	0.81	6.8	0	815.19	6.8	815.19	6.8
S021 VERY SLOW	0	0.87	7.26	100	0	0	0	0
ST065	0	0.86	7.2	100	0	0	0	0
ST075	0	0.95	8	100	0	0	0	0
ST085	0	1.04	8.74	100	0	0	0	0
ST095	0	1.06	8.91	100	0	0	0	0
SX60	0	0.84	7.01	26.9	861	7.18	629	5.25
SX70	0	0.86	7.19	0	862	7.2	862	7.2
SX85	0	0.86	7.21	0	864.08	8.21	864.08	8.21
S035M	0	0.8	6.71	48	819.49	6.83	417.26	3.48
Ancillaries	% Solids By WT.	Spec. Gravity	LBS Per GL	% Total Exempts	Coating VOC g/l	Coating VOC lbs/gal	Material VOC g/l	Material VOC lbs/gal
S10	0.73	0.99	8.31	96.77	700.89	5.84	24.9	0.2
S20	0	0.79	6.62	0	793.57	6.62	793.57	6.62
S88	2.55	1.02	8.52	0	995.31	8.3	995.31	8.3
SX01	N/A	0.83	6.94	76.48	529	4.42	153	1.28
A522	0	0.97	8.13	0	974.71	8.13	974.71	8.13
A544	0	0.97	8.17	0	979.8	8.17	979.8	8.17
A566	0	0.98	8.21	0	984.94	8.21	984.94	8.21
AD263	7.2	0.89	7.42	0	817.4	6.82	409.6	3.41
A750	0	0.81	6.79	0	814.57	6.79	814.57	6.79
Activators	% Solids By WT.	Spec. Gravity	LBS Per GL	% Total Exempts	Coating VOC g/l	Coating VOC lbs/gal	Material VOC g/l	Material VOC lbs/gal
HAG800	40	0.93	7.77	0	558.9	4.66	558.9	4.66
H4	41.2	0.97	8.16	0	575.27	4.8	575.27	4.8
H5	50	0.97	8.11	0	486.09	4.05	486.09	4.05
H6	62	1.03	8.66	0	394.35	3.29	394.35	3.29
H05	38.36	1.26	10.57	61.63	0	0	0	0
H7	70	1.05	8.81	0	316.89	2.64	316.89	2.64
H8	81	1.07	9	0	205.12	1.71	205.12	1.711
H87	84	1.09	9.11	0	174.7	1.45	174.7	1.45
H728	39.84	1.06	8.89	39.63	319	2.67	218	1.82
HC1	53.4	1	8.39	0	468.92	3.91	468.92	3.91
HC2	53.1	1	8.38	0	471	3.93	471	3.93
HC3	53.8	1.01	8.43	0	475	3.96	475	3.96
HC4	54.4	1.03	8.64	0	473	3.94	473	3.94
GH1	53.4	1	8.39	0	468.92	3.91	468.92	3.91
GH2	53.1	1.01	8.44	0	474.45	3.95	474.45	3.95
GH3	53.8	1.01	8.44	0	470	3.92	470	3.92

HQP	36.37	1.02	8.56	41.16	362.15	3.03	230.47	1.92
GTA275	46.15	0.93	7.78	0	502.37	4.19	502.37	4.19
GH4	54.4	1.03	8.67	0	474.03	3.95	474.03	3.95
GH01	53	1.24	10.36	100	0	0	0	0
GH02	53	1.24	10.36	100	0	0	0	0
GH03	53.6	1.24	10.35	100	0	0	0	0
GH04	58.11	1.07	8.95	100	0	0	0	0
H5070	44.16	0.98	8.21	0	549.36	4.58	549.36	4.58
H7085	43.01	1.06	8.85	19.51	470.34	397.54	3.92	3.31
H8595	43.88	1.11	9.28	23.32	452.56	3.77	364.78	3.04
GH06	60.3	1.21	10.12	100	0	0	0	0
GH085	50	1.18	9.85	41.19	140.5	1.17	83.8	0.7
GH065	50.2	1.17	9.82	42.72	138.2	1.15	83.1	0.69
GH075	55.9	1.17	9.83	42.57	140.39	1.17	84.8	0.71
GH65	55	1.01	8.44	0	454.6	3.79	454.6	3.79
GH75	55.8	1.01	8.44	0	447.2	3.73	447.2	3.73
GH85	55	1.02	8.55	0	460.8	3.85	460.8	3.85
HLX	47.7	0.99	8.26	0	517	4.31	517	4.31
HLX28	53	1.24	10.36	0	0	0	0	0
HLX310	47.7	0.99	8.26	0	517	4.31	517	4.31
HBFB21	41.03	1.26	10.53	100	744.12	6.21	0	0
HBFB	62	1.03	8.61	0	392	3.27	392	3.27
HPC065	50.6	1.15	9.6	100	0	0	0	0
HPC075	46.6	1.25	10.45	100	0	0	0	0
HPC085	46.7	1.24	10.43	100	0	0	0	0
VP406	5.62	0.83	6.96	0	787.48	6.57	787.48	6.57
Factory Pacs	% Solids By WT.	Spec. Gravity	LBS Per GL	% Total Exempts	Coating VOC g/l	Coating VOC lbs/gal	Material VOC g/l	Material VOC lbs/gal
100WN0006	57.8	1.16	9.7	0	490.27	4.09	490.27	4.09
100K0099	41.79	0.97	8.09	0	564.88	4.71	564.88	4.71
135WN0006	61.04	1.25	10.46	0	488.38	4.07	488.38	4.07
135K0099	42.91	0.98	8.18	0	559.97	4.67	559.97	4.67
935K0099	54.32	1.01	8.46	9.79	406.67	3.39	363.95	3.03
107K0099	77.09	1.7	14.21	0	390.13	3.25	390.13	3.25
928WN0006	71.11	1.28	10.69	0	370.31	3.09	370.31	3.09
935WN0006	62.81	1.23	10.29	7.93	402.7	3.36	361.02	3.01
MPK0099	64.82	1.03	8.65	0	364.77	3.04	364.77	3.04
928K0099	64.82	1.03	8.65	0	364.77	3.04	364.77	3.04
105K0099	38.07	0.95	7.92	25.56	473.73	3.95	313.07	2.61
LXK 2.8	49.52	1.08	9.08	29.92	301.92	2.51	223.7	1.86
LXW 2.8	59.25	1.27	10.6	18.57	346.78	2.89	281.73	2.35
LXW	58.11	1.16	9.74	0	489.01	4.08	489.01	4.08
LXK	47.72	0.96	8.09	0	506.99	4.23	506.99	4.23
GBLACK	32.2	0.99	8.29	52.98	334.54	2.79	147.15	1.22
GWHITE	41.35	1.15	9.66	47.52	291.36	2.43	128.82	1.07
GP587	40.33	0.98	8.21	4.24	576.38	4.81	545.91	4.55
Binders	% Solids By WT.	Spec. Gravity	LBS Per GL	% Total Exempts	Coating VOC g/l	Coating VOC lbs/gal	Material VOC g/l	Material VOC lbs/gal
FL202	58.17	1.05	8.77	0	439.83	3.67	439.83	3.67
UFL	35.91	0.99	8.28	58.11	179.51	1.49	59.39	0.49

928FL3	66.96	1.07	8.97	0	355.4	2.96	355.4	2.96
928B	69.65	1.02	8.54	0	310.52	2.59	310.52	2.59
135B	40.58	0.99	8.32	31.33	410.69	3.42	280.28	2.33
935B	48.47	0.97	8.1	0	500.34	4.17	500.34	4.17
150B	45.52	0.96	8.02	0	543.02	4.53	543.02	4.53
790B	45.5	1.04	8.67	0	535	4.46	535	4.46
990B	34.38	0.95	7.99	0	628.37	5.24	628.37	5.24
900M	63.33	1.04	8.73	6.72	330.88	2.76	313.5	2.61
777B	64.08	1.02	8.52	0	366.76	3.06	366.76	3.06
935B2.8	47.71	0.98	8.26	18.22	414.57	3.45	335.96	2.8
BC3	14.38	0.86	7.19	48.41	680.66	5.68	320.64	2.67
128B	57.05	1	8.38	21.87	277.06	2.31	211.78	1.76
MPB	64.67	1.03	8.6	0	364.32	3.04	364.32	3.04
FL1	45.5	1.04	8.67	0	535	4.46	535	4.46
107B	61.67	1.19	9.96	0	457.48	3.81	457.48	3.81
GB35								
LXB 2.8	48	1.1	9.22	34.48	276.4	2.3	193.44	1.61
LXSB	50.75	1.04	8.74	0	515.81	4.3	515.81	4.3
Sealers	% Solids By WT.	Spec. Gravity	LBS Per GL	% Total Exempts	Coating VOC g/l	Coating VOC lbs/gal	Material VOC g/l	Material VOC lbs/gal
GTP270	70.74	1.49	12.46	4.82	401.85	3.35	365.22	3.04
SP210	62.27	1.41	11.75	22.18	317.65	2.65	218.91	1.82
QP210W	67.06	1.76	14.74	20.25	220.41	1.83	148.83	1.24
GTP310	62	1.34	11.18	0	505.61	4.21	505.61	4.21
GSEAL	55.15	1.27	10.64	3.55	558.25	4.65	524.64	4.37
QP210LG	67.06	1.76	14.74	20.25	220.41	1.83	148.83	1.24
P3K	73.17	1.57	13.08	0	420.44	3.5	420.44	3.5
GTP210B	48.4	1.31	10.93	40.36	279.4	2.33	147.3	1.22
GTP210W	51.3	1.38	11.51	37.85	279.6	2.33	148.8	1.24
GTP210LG	51.3	1.31	10.93	37.84	280	2.33	149.1	1.24
LXP310	61.46	1.45	12	0	499	4.17	499	4.17
LXP10	53.72	1.15	9.62	0	548	4.57	548	4.57
VP404	31.31	0.98	8.17	1.38	668.39	5.57	659.31	5.57
EP210	62.72	1.45	12.16	26.64	225.01	1.87	154.05	1.28
EP210B	54.85	1.35	11.36	28.78	218.07	1.81	134.6	1.12
EP210MG	61.21	1.5	12.52	29.19	220.13	1.83	144	1.2
EP210LG	64.47	1.56	13.06	25.75	219.57	1.83	153.09	1.27
EP210W	68.42	1.65	13.83	22.58	209.67	1.74	149.11	1.24
Fuzion (F18A)	79.37	1.47	12.26	0	305.04	2.54	305.04	2.54
TNEK	57.85	1.23	10.27	32.77	224.45	1.87	115.39	0.96
EP210YCAT	64.81	1.59	13.3	26.55	205.21	1.71	137.67	1.14
LXEX	34.31	0.95	7.94	0	625.37	5.21	625.37	5.21
LXEP	65.14	1.32	11.06	0	462.12	3.85	462.12	3.85
EX21	43.76	1.03	8.59	39.95	284.26	2.37	167.63	1.39
EX405	49.69	1.09	9.1	34.73	263.37	2.19	169.9	1.41
EX355	43.37	0.97	8.1	0	521	4.34	521.08	4.34
EXTNEK	29.01	0.9	7.54	61.61	260.05	2.17	84.76	0.7
F18B	54.59	1.29	10.76	0	585.91	4.88	585.91	4.88